

County; Champaign No. 11

Date: _____

Checklist of Ohio Butterflies and Skippers

Superfamily Hesperioidea, Family Hesperioidea

- *Epargyreus clarus* (Cramer, 1775) Silver-Spotted Skipper
- ___ *Urbanus proteus* (Linnaeus, 1758) Long-Tailed Skipper (RS)
- ___ *Autochthon cellus* (Boisduval & Leconte, [1837]) Gold-Banded Skipper
- ___ *Achalarus lyciades* (Geyer, 1832) Hoary-Edge Skipper
- *Thorybes pylades* (Scudder, 1870) Northern Cloudywing
- *Thorybes bathyllus* (J. E. Smith, 1797) Southern Cloudywing
- ___ *Thorybes confusus* Bell, 1922 Confused Cloudywing (RS)
- ___ *Staphylus hayhurstii* (W.H. Edwards, 1870) Scalloped Sootywing
- ___ *Erynnis icelus* (Scudder & Burgess, 1870) Dreamy Duskywing
- ___ *Erynnis brizo* (Boisduval & Leconte, [1837]) Sleepy Duskywing
- *Erynnis juvenalis* (Fabricius, 1793) Juvenal's Duskywing
- ___ *Erynnis horatius* (Scudder & Burgess, 1870) Horace's Duskywing
- ___ *Erynnis martialis* (Scudder, {1870}) Mottled Duskywing
- ___ *Erynnis funeralis* (Scudder & Burgess, 1870) Funeral Duskywing (RS)
- *Erynnis baptisiae* (Forbes, 1936) Wild Indigo Duskywing
- ___ *Erynnis persius* (Scudder, 1863) Persius Duskywing
- ___ *Pyrgus centaureae* (Rambur, {1842}) Grizzled Skipper
- *Pyrgus communis* (Grote, 1872) Common Checkered Skipper
- *Pholisora catullus* (Fabricius, 1793) Common Sootywing
- ___ *Nastra lherminier* (Latreille, [1824]) Swarthy Skipper
- ___ *Lerema accius* (J. E. Smith, 1797) Clouded Skipper (RS)
- *Ancyloxpha numitor* (Fabricius, 1793) Least Skipper
- ___ *Copaeodes minima* (W. H. Edwards, 1870) Southern Skipperling (RS)
- *Thymelicus lineola* (Ochsenheimer, 1808) European Skipper
- *Hylephila phyleus* (Drury, 1773) Fiery Skipper
- *Hesperia leonardus* Harris, 1862 Leonard's Skipper
- ___ *Hesperia metea* Scudder, 1864 Cobweb Skipper
- *Hesperia sassacus* Harris, 1862 Indian Skipper
- ___ *Atalopedes campestris* (Boisduval, 1852) Sachem Skipper (N)
- *Polites peckius* (W. Kirby, 1837) Peck's Skipper
- *Polites themistocles* (Latreille, [1824]) Tawny-Edge Skipper
- ___ *Polites origenes* (Fabricius, 1793) Crossline Skipper
- *Polites mystic* (W. H. Edwards, 1863) Long-Dash Skipper
- *Wallengrenia egeremet* (Scudder, 1864) Northern Broken-Dash Skipper
- *Pompeius verna* (W. H. Edwards, 1862) Little Glassywing Skipper
- *Anatrytone logan* (W. H. Edwards, 1863) Delaware Skipper
- *Poanes hobomok* (Harris, 1862) Hobomok Skipper

- *Poanes zabulon* (Boisduval & Leconte, [1837]) Zabulon Skipper
- *Poanes massasoit* (Scudder, 1864) Mulberry Wing skipper
- ___ *Poanes viator* (W. H. Edwards, 1865) Broad Winged Skipper
- ___ *Euphyes conspicua* (W. H. Edwards, 1863) Black-Dash Skipper
- *Euphyes dion* (W. H. Edwards, 1879) Dion Skipper
- *Euphyes dukesi* (Lindsey 1923) Dukes' Skipper
- ___ *Euphyes bimacula* (Grote & Robinson, 1867) Two-Spotted Skipper
- *Euphyes vestris* (Boisduval, 1852) Dun Skipper
- ___ *Atrytonopsis hianna* (Scudder, 1868) Dusted Skipper
- ___ *Amblyscirtes hegon* (Scudder, 1864) Pepper & Salt Skipper
- ___ *Amblyscirtes vialis* (W. H. Edwards, 1862) Common Roadside Skipper
- ___ *Amblyscirtes belli* H. A. Freeman, 1941 Bell's Roadside Skipper (RS)
- ___ *Lerodea eufala* (W. H. Edwards, 1869) Eufala Skipper (RS)
- ___ *Calpodetes ethlius* (Stoll, 1782) Brazilian Skipper (RS)
- ___ *Panoquina ocola* (W. H. Edwards, 1863) Ocola Skipper (N)

Superfamily Papilionoidea

Family Papiloidae

- *Battus philenor* (Linnaeus, 1771) Pipe-Vine Swallowtail
- *Eurytides marcellus* (Cramer 1177) Zebra Swallowtail
- *Papilio polyxenes* Fabricius, 1175 Black Swallowtail
- *Papilio glaucus* Linnaeus, 1758 Tiger Swallowtail
- *Papilio troilus* Linnaeus, 1758 Spicebush Swallowtail
- *Papilio cressphontes* Cramer, 1777 Giant Swallowtail

Family Pieridae

- *Pontia protodice* (Boisduval & Leconte, [1830]) Checkered White (N)
- *Pieris rapae* (Linnaeus, 1758) Cabbage White Butterfly
- *Pieris virginiensis* (W. H. Edwards, 1870) West Virginia White
- ___ *Euchloe olympia* (W. H. Edwards, 1871) Olympia Marble (*)
- *Anthocharis midea* (Hubner, [1809]) Falcate Orange-Tip
- *Colias philodice* Godart, 1819 Clouded Sulphur
- *Colias eurytheme* Boisduval 1852 Alfalfa Sulphur
- ___ *Zerene cesonia* (Stoll, 1790) Southern Dogface (RS)
- ___ *Phoebis sennae* (Linnaeus, 1758) Cloudless Sulphur (N)
- ___ *Phoebis philea* (Linnaeus, 1763) Orange-Barred Skipper (RS)
- *Pyrisitia lisa* (Boisduval & Leconte, [1830]) Little Sulphur (N)
- ___ *Abaeis nicippe* (Cramer, 1779) Sleepy Orange (N)
- ___ *Nathalis iole* Boisduval, 1836 Dainty Sulphur (RS)

Family Lycaenidae

- *Feniseca tarquinius* (Fabricius, 1793) Harvester
- ___ *Lycaena phlaeas* (Linnaeus, 1761) Little Copper
- *Lycaena hyllus* (Cramer, 1775) Bronze Copper

- *Lycaena helloides* (Boisduval, 1852) Purplish Copper (E)
- ___ *Atlides halesus* (Cramer, 1777) Great Purple Hairstreak (*)
- ___ *Callophrys gryneus* (Hubner, [1819]) Olive Hairstreak
- ___ *Callophrys augustinus* (Westwood, 1852) Brown Elfin
- ___ *Callophrys irus* (Godart, [1824]) Frosted Elfin (E)
- *Callophrys henrici* (Grote & Robinson, 1867) Henry's Elfin
- ___ *Callophrys niphon* Hubner, [1819]) Eastern Pine Elfin
- ___ *Satyrium favonius* (J. E. Smith, 1797) Northern Hairstreak
- *Satyrium titus* (Fabricius, 1793) Coral Hairstreak
- *Satyrium acadica* (W. H. Edwards, 1862) Acadian Hairstreak
- *Satyrium caryaevorus* (McDonnough, 1942) Hickory Hairstreak
- ___ *Satyrium edwardsii* (Grote and Robinson, 1867) Edward's Hairstreak
- *Satyrium calanus* (Hubner, [1809]) Banded Hairstreak
- *Satyrium liparops* (Leconte, 1833) Striped Hairstreak
- ___ *Calycopis cecrops* (Fabricius, 1793) Red-banded Hairstreak
- *Strymon melinus* (Hubner, [1813]) Gray Hairstreak
- ___ *Parrhasius m-album* (Boisduval & Leconte, 1833) White-M Hairstreak
- ___ *Eroa laeta* (W. H. Edward, 1862) Early Hairstreak
- ___ *Leptotes marina* (Reakirt, 1868) Marine Blue (RS)
- *Cupido comyntas* (Godart, [1824]) Eastern-Tailed Blue
- *Celastrina ladon* (Cramer, 1780) Spring Azure
- *Celastrina neglecta* (W. H. Edwards, 1862) Summer Azure
- ___ *Celastrina neglectamajor* Opler & Krizek 1924 Appalachian Azure
- ___ *Celastrina nigra* (Forbes, 1960) Dusky Azure
- ___ *Glaucopsyche lygdamus* (Doubleday, 1841) Silvery Blue
- ___ *Echinargus isola* (Reakirt, [1867]) Reakirt's Blue
- ___ *Plebejus melissa* (W. H. Edward, 1873) Melissa Blue (FE)

Family Riodinidae

- ___ *Calephelis borealis* (Grote & Robinson, 1866) Northern Metalmark
- *Calephelis muticum* McAlpine 1937 Swamp Metalmark (*)

Family Nymphalidae

- *Libytheana carinenta* (Cramer, 1777) American Snout
- *Danaus plexippus* (Linnaeus, 1758) Monarch
- ___ *Danaus gilippus* (Cramer, 1775) Queen
- ___ *Agraulis vanillae* (Linnaeus 1758) Gulf Fritillary
- *Euptoieta claudia* (Cramer, 1775) Variegated Fritillary
- ___ *Speyeria diana* (Cramer, 1777) Diana Fritillary (*)
- *Speyeria cybele* (Fabricius, 1775) Great Spangled Fritillary
- *Speyeria aphrodite* (Fabricius, 1787) Aphrodite Fritillary
- *Speyeria idalia* (Drury, 1775) Regal Fritillary (E)
- ___ *Speyeria atlantis* (W. H. Edwards, 1862) Atlantis Fritillary
- *Boloria selene* ([Denis & Shiffermuler], 1775) Silver-Bordered Fritillary (Th)
- *Boloria bellona* (Fabricius, 1775) Meadow Fritillary
- *Chlosyne nycteis* (Doubleday, [1847]) Silvery Checkerspot

- ___ *Chlosyne harrisii* (Scudder, 1864) Harris' Checkerspot
- *Phyciodes tharos* (Drury, 1773) Pearl Crescent
 - *Euphydryas phaeton* (Drury, 1773) Baltimore
 - *Junonia coenia* Hubner, [1822] Common Buckeye
 - *Polygonia interrogationis* (Fabricius, 1798) Question Mark
 - *Polygonia comma*, (Harris, 1842) Comma
 - *Polygonia progne* (Cramer, 1775) Gray Comma
 - *Aglais melberti* (Godart, 1819) Milbert's Tortoiseshell
- ___ *Roddia vaualbum* ([Denis & Shiffermuler]) Compton Tortoiseshell
- *Nymphalis antiopa* (Linnaeus, 1758) Mourning Cloak
 - *Vanessa atalanta* (Linnaeus, 1758) Red Admiral
 - *Vanessa cardui* (Linnaeus, 1758) Painted Lady
 - *Vanessa virginiensis* (Drury, 1773) American Lady
 - *Limenitis arthemis* (Drury, 1777) Red-Spotted Purple
 - *Limenitis archippus* (Cramer, 1775) Viceroy
- ___ *Anaea andria* Scudder, 1875 Goatweed Leafwing
- *Asterocampa celtis* (Boisduval & Leconte, [1835]) Hackberry Butterfly
 - *Asterocampa clyton* (Boisduval & Leconte, [1835]) Tawny Emperor
 - *Enodia anhedon* A. H. Clark, 1936 Northern Pearly-Eye
 - *Satyroides eurydice* (Linnaeus, 1763) Eyed Brown
 - *Satyroides appalachia* (R. L. Chermock, 1947) Appalachian Eyed-Brown
- ___ *Cyllopsis gemma* (Hubner, 1808) Gemmed Satyr
- ___ *Hermeuptchia sosybius* (Fabricius, 1793) Carolina Satyr
- ___ *Neonympha mitchellii* French, 1889 Mitchell's Satyr (*) (FE)
- *Megisto cymela* (Cramer, 1777) Little Wood Satyr
 - *Cercyonis pegala* (Fabricius, 1777) Common Wood Satyr

(*) = thought to be extirpated from Ohio

(N) = a non resident species

(RS) = rare stray (one or two valid records)

(E) = listed as endangered in Ohio

(FE) = listed federally as endangered

(Th) = listed as threatened in Ohio

